PILY FRM X LIF High Performance Polyaspartic Coating System





- LOW TEMPERATURE CURE
- FAST RETURN TO SERVICE
- NON YELLOWING UV STABLE
- NO VOC & DOOR FREE AVAILABLE

330-682-5678

PELYFIRMBUR

WWW.POLYARMOUR.US

Commercial & industrial resinous flooring





POLY ARMOUR ® coating systems


The quickest, most immediate way to create an attractive yet durable floor in most situations. Solid color or broadcast, It's the preferred choice with contractors for saving time and labor while providing that sought after combination of strength and beauty.

POLY ARMOUR Advantages:

- One day installation
- Next day return to service
- Superior stain & chemical resistance
- UV stable Non yellowing
- · No VOC & odor free applications available
- · Easy 1:1 mix ratio
- Extreme durability
- · Low temperature cure
- · No hot tire pick up

ARMOUR TINT solid color coatings

Solid color polyaspartic coating, great for commercial and industrial flooring application.







Vinyl Chip seamless flooring

ARMOUR CHIP seamless flooring

An individual terrazo style finish, that affords owners reduced upkeep with continuing durability. Preferred in retail locations, schools and residential garages.











Decorative concrete









ARMOUR QUARTZ seamless flooring

High strength colored quartz aggregate stratified between POLY ARMOUR coats to create an attractively textured floor. Ideal for parking decks, stadiums and commercial kitchens.



SILVER SHADOW



PEBBLE BEACH TINT - BUFF



GRANITE TINT - MEDIUM GRAY



RIDGE VIEW TINT - CANYON CLAY




NATURAL BEIGE TINT - BUFF



STREAM WOOD TINT - CANYON CLAY

ARMOUR DYE decorative flooring

Uses liquid dispersed concrete dyes with POLY ARMOUR's coating system for a highly artistic yet durable surface. Often considered an alternative to polished concrete in situations requiring superior chemical & stain resistance.





Flooring Products

Fast Cure & UV Stable Polyaspartics

Poly Armour Clear 70, 80SC, 100

Crystal clear high performance sealer, durability unrivaled by other topcoats.

- · Excellent Abrasion & Chemical Resistance
- Low Temperature Installation
- Low Odor Formula (Poly Armour 100)
- · Slow Cure Option (Poly Armour 80SC)

Poly Armour Tinted 70, 80SC, 100

For use when a solid colored coating with superior abrasion and chemical resistance is required.

14 popular colors

Specialty Epoxies & Underlayments

Poly Armour 100 Epoxy

User friendly high build 100% solids epoxy.

- · Extended broadcast time
- · Self Leveling High build for smoothing rough concrete
- · Use clear or tinted
- · High Gloss finish

Moisture Shield Epoxy Primer

Two part moisture tolerant epoxy primer.

- · Protect against moisture emission failure
- · Economically priced
- · Recommended for all below grade applications

Floor Flex

Single component fluid applied modified polyurethane traffic deck underlayment.

- · Waterproof & Flexible
- · Use over concrete, wood subfloor, and metal prior

to application of any Deco-Crete coating or overlay system

Broadcast Media & Aggregates

Vinyl Color Chips

Enhanced durability & aesthetics for high performance flooring systems.

- · Popular stock color blends
- Custom colors & blends available
- · Added thickness and durability

Quartz Colored Aggregate

Superior durability, aesthetics, and slip resistance for the most demanding environments.

- · Popular stock color blends
- Custom colors & blends available
- · Extreme durability in tough environments

Mica Chips

Natural metallic flakes that glisten unlike any other broadcast media available.

- · Beautiful stock color blends
- Limited colors & blends available
- · Comparable durability to vinyl color chips

Concrete Repair & Joint Filler

Quick Fix

Extremely fast setting, high strength ultra low viscosity concrete repair material.

- Heavy loads in 10-15 minutes
- · Rapidly fill control joints
- · Rebuild deeply spalled or damaged concrete
- · Use interior or exterior

Polyurea Crack Bond

Dual component polyurea joint filler.

- · Shaveable in as little as 45 minutes
- · Install in temperatures as low as -40 F
- · Use interior or exterior
- · Allows 10-15% movement

Cement All

Fast setting, multi-purpose concrete repair and non-shrink grout.

- · Featheredge to 4" in one lift
- · Sets in 15 minutes; structural strength in 1 hour
- Polishable

Easy Patch

Concrete Repair and Resurfacing Mortar.

- · Featheredge to 1.5" in one lift
- · Sets in 20-45 minutes
- · Light traffic in 3 to 4 hours

Additives

Armour Guard

Optional scratch additive.

- · Dramatically increases abrasion resistance
- · Does not impair clarity of clear coats

Armour Grip

Traction additive for Poly Armour.

- · Increased slip resistance
- · Available in 40, 60, & 100 grit

Stains & Stencils

Armour Dye

Non-reactive permanent colorant for properly prepared concrete.

- 28 popular colors
- · Interior and exterior formulas
- Fast drying

Custom Stencils

Create custom logos, designs, and patterns.

- · Used in conjunction with Kolour Dye
- · Single use adhesive stencils
- · Generated from your art file

POLY ARMOUR SYSTEMS

POLY ARMOUR 70, 80sc, 100



POLY ARMOUR short filled 70, 80sc, 100



100 EPOXY with tint pack



MOISTURE SHIELD



FLOOR FLEX



QUICK FIX



ARMOUR GUARD



ARMOUR GRIP



CRACK BOND



ARMOUR DYE





MICA/VINYL CHIPS



QUARTZ

