1 Identification of the substance and manufacturer

Trade name: Product code: Recommended use: Uses advised against: Manufacturer/Supplier: Emergency telephone number:	WHITE 0000200352 Paint and coatings application. Any that differs from the recommended use. Seymour of Sycamore 917 Crosby Avenue Sycamore, IL 60178 USA phone: 815-895-9101 www.seymourpaint.com 1-800-255-3924	Seymour of Sycamore 3041 Dougall Avenue, Suite 503 Windsor, ONT N9E 1S3 CANADA phone: 800-435-4482 www.seymourpaint.com
2 Hazard(s) identification		
Classification of the substance or mixture Flam. Aerosol 1 H222 Extremely flammable aerosol. Press. Gas H280 Contains gas under pressure; may explode if heated. STOT SE 3 H335 May cause respiratory irritation. STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure. Additional information: GHS Hazard pictograms Image: Colspan="2">Image: Colspan="2" Flam: Aerosol 1 H222 Extremely flammable aerosol. Image: Colspan="2">Image: Colspan="2" STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure. Image: Colspan="2">Image: Colspan="2" GHS Hazard pictograms Image: Colspan="2">Image: Colspan="2" Image: Colspan="2" GHS 02 GHS 04 GHS 07 GHS 08 Image: Colspan="2"		
Signal word Hazard statements Precautionary statements	Danger Extremely flammable aerosol. Contains gas under pressure; may explode if heated. May cause respiratory irritation. May cause damage to organs through prolonged or repeat Keep away from heat/sparks/open flames/hot surfaces N Do not spray on an open flame or other ignition source.	No smoking.
	Pressurized container: Do not pierce or burn, even after us Do not breathe dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. IF INHALED: Remove person to fresh air and keep comfor Call a poison center/doctor if you feel unwell. Store in a well-ventilated place. Store locked up. Protect from sunlight. Do not expose to temperatures excer Dispose of contents/container in accordance with local/reg	rtable for breathing. eeding 50°C/122°F.

3 Composition/information on ingredients

Chemical characterization: Mixtures

	escription:	This product is a mixture of the substances listed below with nonhazardous additions.	
Dangerous components:			
74-98-6	propane		15-25%
64742-89-8	VM&P Naphtha		10-15%
	Calcium Carbonate		10-15%
	n-butane		5-10%
	titanium dioxide		1-5%
64742-47-8	Mineral Spirits		1-5%
	•		

4 First-aid measures	
After inhalation: After skin contact: After eye contact: After swallowing: Most important symptoms and effects: Indication of any immediate medica attention needed:	Supply fresh air; consult doctor in case of complaints. Remove contaminated clothing. Wash exposed area with soap and water. Rinse opened eye for several minutes under running water. Then consult a doctor. Rinse mouth with water. Do not induce vomiting. Dizziness No further relevant information available.
5 Fire-fighting measures	
Extinguishing agents: Special hazards: Protective equipment for firefighters:	CO2, extinguishing powder or water spray. Fight larger fires with water spray. Can form explosive gas-air mixtures. A respiratory protective device may be necessary.

Page 2/3

Trade name: WHITE	
	(Contd. of page 1)
6 Accidental release measures	
Personal precautions, protective equipment and emergency	
procedures: Methods and material for containment and cleaning up:	Use respiratory protective device against the effects of fumes/dust/aerosol.
	Absorb liquid components with liquid-binding material.
7 Handling and storage	
Precautions for safe handling Storage requirements:	Use only in well ventilated areas. Keep away from sources of heat and direct sunlight. Do not warehouse in subfreezing conditions. Store locked up.
8 Exposure controls/personal prot	ection
Components with limit values that re	equire monitoring at the workplace:
PEL (USA) Long-term value: 1800 mg	/m³, 1000 ppm
REL (USA) Long-term value: 1800 mg TLV (USA) refer to Appendix F inTLVs	
106-97-8 n-butane	
REL (USA) Long-term value: 1900 mg TLV (USA) Short-term value: 2370 mg (EX)	
Hygienic protection:	Wash hands after use. Do not eat or drink while working.
Breathing equipment:	A respirator is generally not necessary when using this product outdoors or in large open areas. In cases where short and/or long term overexposure exists, a charcoal filter respirator should be worn.
Hand protection:	If you suspect overexposure conditions exist, please consult an authority on chemical hygeine. Nitrile gloves.
Eye protection:	The glove material must be impermeable and resistant to the substance. Tightly sealed goggles
9 Physical and chemical properties	
Appearance: Odor:	Aerosol. Aromatic
Odor threshold:	Not determined.
pH-value: Melting point/Melting range Boiling point:	Not determined. Undetermined. -44 °C (-47.2 °F)
Flash point: Flammability (solid, gas):	-19 °C (-2.2 °F) Extremely flammable.
Decomposition temperature:	Not determined.
Auto igniting:	Product is not self-igniting.
Danger of explosion: Lower Explosion Limit: Upper Explosion Limit:	In use, may form flammable/explosive vapour-air mixture. 1.7 Vol % 10.9 Vol %
Vapor pressure: Relative Density:	Not determined. Between 0.77 and 0.85 (Water equals 1.00)
Vapor density Evaporation rate	Not applicable.
Partition coefficient: n-octonal/water	
Solubility: Viscosity: Water:	Not determined. Not determined. 37.2 %
10 Stability and reactivity	
Reactivity: Conditions to avoid:	Stable at normal temperatures. Do not allow can to exceed 120 degrees Fahrenheit. Do not warehouse in subfreezing
Chemical stability:	temperatures. Not fully evaluated.
Possibility of hazardous reactions: Incompatible materials: Hazardous decomposition:	No dangerous reactions known. No further relevant information available. No dangerous decomposition products known.

Safety Data Sheet

Printing date 01/06/2021
Trade name: WHITE

Revised On 01/06/2021

Page 3/3

(Contd. of page 2)

	(Contd. of page 2)	
11 Toxicological information		
11 Toxicological information		
LD/LC50 values that are relevant fo 13463-67-7 titanium dioxide	r classification:	
Oral LD50 >20,000 mg/kg (rat)	
Dermal LD50 >10,000 mg/kg (
Inhalative LC50/4 h >6.82 mg/l (rat)	,	
Information on toxicological effects		
Skin effects: Eye effects:	No irritant effect. No irritating effect.	
Sensitization:	No sensitizing effects known.	
	5	
12 Ecological information		
Aquatic toxicity:	Hazardous for water, do not empty into drains.	
Persistence and degradability:	The product is degradable after prolonged exposure to natural weathering processes.	
Other information:	This product does not contain any chlorofluorocarbons (CFC's), hydrochlorofluorocarbons (HCFC's), perfluorocarbons (PFC's), heavy metals (chromium, lead, cadmium), or chlorinated	
	solvents.	
Bioaccumulative potential:	No further relevant information available.	
Mobility in soil: Other adverse effects:	No further relevant information available. No further relevant information available.	
13 Disposal considerations		
	tate, and federal regulations. Do not puncture, incinerate, or compact. Partially empty cans must be	
disposed of responsibly. Do not heat of	or cut empty containers with electric or gas torches.	
Recommendation:	Completely empty cans should be recycled.	
Recommended cleansing agent:	Water, if necessary with cleansing agents.	
14 Transport information		
UN-Number	UN1950	
DOT	UN1950	
DOT	Aerosols, flammable	
ADR Transport hazard class(es):	1950 Aerosols	
Class	2.1	
Special precautions for user:	Warning: Gases	
EMS Number: Packaging Group:	F-D,S-Ŭ	
UN "Model Regulation":	UN 1950 AEROSOLS, 2.1	
15 Regulatory information		
SARA Section 355 (extremely hazar	dous substances):	
None of the ingredients in this product	are listed.	
SARA Section 313 (Specific toxic cl	nemical listings):	
None of the ingredients is listed.		
Toxic Substances Control Act	All bezerdeus ingredients are found on the inventory list of substances	
(TSCA): Canadian Domestic Substances Lis	All hazardous ingredients are found on the inventory list of substances.	
(DSL):	All ingredients are listed or exempted.	
Consumer Product Safety	This product complian with 16 CEP 1202 and does not contain more than 00 ppm of load	
Comission (CPSC): California Proposition 65 chemicals	This product complies with 16 CFR 1303 and does not contain more than 90 ppm of lead.	
13463-67-7 titanium dioxide		
100-41-4 ethyl benzene		
Prop 65 chemicals known to cause birth defects or reproductive harm:		
None of the ingredients is listed.		
EPA:		
None of the ingredients is listed.		
16 Other information		
Contact:	Regulatory Affairs	
	5 , ··-	