## 1 Identification of the substance and manufacturer

Trade name: Product code: Recommended use: Uses advised against: Manufacturer/Supplier: Emergency telephone number:	SAFETY RED 0000200371 Paint and coatings application. Any that differs from the recommended use. Seymour of Sycamore 917 Crosby Avenue Sycamore, IL 60178 USA phone: 815-895-9101 www.seymourpaint.com 1-800-255-3924	Seymour of Sycamore 3041 Dougall Avenue, Suite 503 Windsor, ONT N9E 1S3 CANADA phone: 800-435-4482 www.seymourpaint.com		
2 Hazard(s) identification	Hazard(s) identification			
Classification of the substance orFlam. Aerosol 1H222Extremely flaPress. GasH280Contains gasSTOT SE 3H335May cause re	<ul> <li>sification of the substance or mixture</li> <li>n. Aerosol 1 H222 Extremely flammable aerosol.</li> <li>s. Gas H280 Contains gas under pressure; may explode if heated.</li> <li>OT SE 3 H335 May cause respiratory irritation.</li> <li>OT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.</li> <li>litional information:</li> </ul>			
Signal word Hazard statements	Danger Extremely flammable aerosol. Contains gas under pressure; may explode if heated. May cause respiratory irritation. May cause damage to organs through prolonged or rep	eated exposure		
Precautionary statements	Keep away from heat/sparks/open flames/hot surfaces. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after Do not breathe dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. IF INHALED: Remove person to fresh air and keep com Call a poison center/doctor if you feel unwell. Store in a well-ventilated place. Store locked up. Protect from sunlight. Do not expose to temperatures et	- No smoking. r use. nfortable for breathing.		

Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Dispose of contents/container in accordance with local/regional/national/international regulations.

## **3 Composition/information on ingredients Chemical characterization: Mixtures** This product is a mixture of the substances listed below with nonhazardous additions. **Chemical Description:** Dangerous components: 74-98-6 propane 15-25% 64742-89-8 VM&P Naphtha 10-15% 1317-65-3 Calcium Carbonate 10-15% 106-97-8 n-butane 5-10% 64742-47-8 Mineral Spirits 1-5%

4 First-aid measures		
After inhalation: After skin contact: After eye contact: After swallowing: Most important symptoms and effects: Indication of any immediate medical attention needed:	Supply fresh air; consult doctor in case of complaints. Remove contaminated clothing. Wash exposed area with soap and water. Rinse opened eye for several minutes under running water. Then consult a doctor. Rinse mouth with water. Do not induce vomiting. Dizziness No further relevant information available.	
5 Fire-fighting measures		
Extinguishing agents: Special hazards: Protective equipment for firefighters:	CO2, extinguishing powder or water spray. Fight larger fires with water spray. Can form explosive gas-air mixtures. A respiratory protective device may be necessary.	
monginoioi		(Contd. on page 2)

Page 2/3

Trade name: SAFETY RED 6 Accidental release measures Personal precautions, protective equipment and emergency procedures: Use respiratory protective device against the effects of fumes/dust/aerosol. Methods and material for containment and cleaning up: Absorb liquid components with liquid-binding material. 7 Handling and storage Precautions for safe handling Use only in well ventilated areas. Storage requirements: Keep away from sources of heat and direct sunlight. Do not warehouse in subfreezing conditions. Store locked up. 8 Exposure controls/personal protection Components with limit values that require monitoring at the workplace: 74-98-6 propane PEL (USA) Long-term value: 1800 mg/m<sup>3</sup>, 1000 ppm REL (USA) Long-term value: 1800 mg/m<sup>3</sup>, 1000 ppm TLV (USA) refer to Appendix F inTLVs&BEIs book; D, EX 106-97-8 n-butane REL (USA) Long-term value: 1900 mg/m<sup>3</sup>, 800 ppm TLV (USA) Short-term value: 2370 mg/m<sup>3</sup>, 1000 ppm (EX) Hygienic protection: Wash hands after use. Do not eat or drink while working. A respirator is generally not necessary when using this product outdoors or in large open areas. In Breathing equipment: cases where short and/or long term overexposure exists, a charcoal filter respirator should be worn. If you suspect overexposure conditions exist, please consult an authority on chemical hygeine. Hand protection: Nitrile gloves. The glove material must be impermeable and resistant to the substance. Tightly sealed goggles Eye protection: 9 Physical and chemical properties Appearance: Aerosol. Odor: Aromatic Odor threshold: Not determined. pH-value: Not determined. Melting point/Melting range Undetermined. Boiling point: -44 °C (-47.2 °F) Flash point: -19 °C (-2.2 °F) Flammability (solid, gas): Extremely flammable. **Decomposition temperature:** Not determined. Auto igniting: Product is not self-igniting. Danger of explosion: In use, may form flammable/explosive vapour-air mixture. 1.7 Vol % Lower Explosion Limit: 10.9 Vol % Upper Explosion Limit: Not determined. Vapor pressure: Relative Density: Between 0.77 and 0.85 (Water equals 1.00) Not determined Vapor density Evaporation rate Not applicable. Partition coefficient: n-octonal/water: Not determined. Solubility: Not determined. Not determined. Viscosity: 34.9 % Water: 10 Stability and reactivity Reactivity: Stable at normal temperatures. Conditions to avoid: Do not allow can to exceed 120 degrees Fahrenheit. Do not warehouse in subfreezing temperatures. Chemical stability: Not fully evaluated. Possibility of hazardous reactions: No dangerous reactions known. Incompatible materials: No further relevant information available. Hazardous decomposition: No dangerous decomposition products known.

(Contd. of page 1)

Revised On 01/06/2021

Page 3/3

(Contd. of page 2)

1 Toxicological information	
1 Toxicological information	
Information on toxicological effects:	No data available. No irritant effect.
Skin effects: Eye effects:	No irritating effect.
Sensitization:	No sensitizing effects known.
2 Ecological information	
Aquatic toxicity:	Hazardous for water, do not empty into drains.
Persistence and degradability:	The product is degradable after prolonged exposure to natural weathering processes.
Other information:	This product does not contain any chlorofluorocarbons (CFC's), hydrochlorofluorocarbo (HCFC's), perfluorocarbons (PFC's), heavy metals (chromium, lead, cadmium), or chlorinat
	solvents.
Bioaccumulative potential:	No further relevant information available.
Mobility in soil:	No further relevant information available.
Other adverse effects:	No further relevant information available.
B Disposal considerations	
	ate, and federal regulations. Do not puncture, incinerate, or compact. Partially empty cans must
disposed of responsibly. Do not heat or	cut empty containers with electric or gas torches.
Recommendation:	Completely empty cans should be recycled.
Recommended cleansing agent:	Water, if necessary with cleansing agents.
Transport information UN-Number	UN1950
DOT	UN1950
DOT	Aerosols, flammable
ADR	1950 Aerosols
Transport hazard class(es):	
Class Special precautions for user:	2.1 Warning: Gases
EMS Number:	F-D,S-U
Packaging Group:	
UN "Model Regulation":	UN 1950 AEROSOLS, 2.1
Regulatory information	
SARA Section 355 (extremely hazard	ous substances):
None of the ingredients in this product a	
SARA Section 313 (Specific toxic cho	emical listings):
None of the ingredients is listed.	
Toxic Substances Control Act	
(TSCA):	All hazardous ingredients are found on the inventory list of substances.
Canadian Domestic Substances List (DSL):	All ingredients are listed or exempted.
Consumer Product Safety	
Comission (CPSC):	This product complies with 16 CFR 1303 and does not contain more than 90 ppm of lead.
California Proposition 65 chemicals	
100-41-4 ethyl benzene	
Prop 65 chemicals known to cause b	irth defects or reproductive harm:
None of the ingredients is listed.	
EPA:	
None of the ingredients is listed.	
6 Other information	